## Patient Instructions following DUPUYTREN'S EXCISION SURGERY



Dr. Noor Alolabi, Plastic and Reconstructive Surgeon

FOLLOW UP APPOINTMENT		
Date:	Location:	Fracture Clinic, Section D (Oakville Hospital)

## SURGICAL SITE CARE AFTER SURGERY

- Keep the dressing dry and in place until the follow-up appointment in 2 weeks. To shower, place a waterproof bag with an elastic band around the base to keep it dry.
- Do not use the hand until your follow-up appointment. You may use it for light activities such
  as getting dressed, eating, typing, etc. after your follow-up. Do not perform any heavy lifting or
  tight gripping for 6 weeks following surgery.
- The cleaning solution used in surgery is pink. Do not be alarmed if your forearm or fingertips are pink, it is not an infection.
- Your sutures will be removed at your follow-up appointment 2 weeks after surgery.

## PAIN MANAGEMENT AFTER SURGERY

- The local anaesthetic (freezing) used will last for 4-8 hours and sometimes even longer. It is advised to take the prescribed or an over-the-counter pain medication once the tingling in the fingers starts to wear off. If you had a regional block and your whole arm is frozen, the anaesthetic can last 12-24 hours do not be alarmed.
- Take the prescribed pain medication as needed for the first few days after surgery. You can supplement this with Advil if needed.
- Keep your hand elevated when sitting or lying down to minimize throbbing and swelling.

## SCAR CONTROL AFTER SURGERY

- After 2 weeks from surgery, massage the incisions multiple times a day for 2-3 months.
- Purchase "Silicone Gel" and apply over the scar for 2-3 months. This can be purchased from Dr. Alolabi's office.

DR. NOOR ALOLABI, MD, FRCSC Plastic and Reconstructive Surgeon