Patient Instructions following OUTPATIENT PROCEDURE



Dr. Noor Alolabi, Plastic and Reconstructive Surgeon

FOLLOW UP APPOINTM	ENT	
Date:	Location:	☐ Fracture Clinic (Oakville Hospital) ☐ Office (560-2525 Old Bronte Road)
SURGICAL SITE CARE A	FTER SURGERY	
Outer dressing:	 Do not remove at all until follow up Remove in 3-4 days and then apply polysporin twice daily Keep incision uncovered and apply polysporin twice daily 	
Shower:	☐ Normally and pat the dressin☐ Normally after 48 hours, pat☐ Cover the incision and keep	the dressing dry after shower
Suture removal:	☐ Stitches will dissolve☐ Stitches will be removed at y	your follow-up appointment
Do not soak the wo	und in water (i.e. no hot tubs, batl	ns, or swimming) for 2 weeks.
	tic (freezing) used will last for 4-8 Tylenol and/or Advil for the first f	hours and sometimes longer. You may ew days after surgery as needed.
 If surgery was on year 	our arm, leg, or face: keep elevate	ed when sitting and sleeping for 1

- If there is bleeding from the incision, elevate the area and apply direct and firm pressure for 20 minutes straight. If the bleeding continues, you should see a physician.
- If you notice spreading redness and/or drainage from your incision, you may have an infection. You should contact Dr. Alolabi's office, see your family physician, or attend the emergency room at the Oakville Hospital.

SCAR CONTROL AFTER SURGERY

week to minimize swelling.

- After 2 weeks from surgery, massage the scar multiple times a day for 2-3 months.
- Purchase "Silicone Gel" and apply over the scar for 2-3 months. This can be purchased from Dr. Alolabi's office.

DR. NOOR ALOLABI, MD, FRCSC Plastic and Reconstructive Surgeon